


Specifications



1. RF MOTION SENSING TUBE
2. LED RETROFIT TUBE
3. LED BULB

Pocket friendly: Easy savings of upto 90%. **Lasting LED life:** More than 50,000 hours. **Reliable:** Resistant to vibrations and voltage fluctuations. **Safety first:** No toxic mercury, no harmful UV rays. **Hassle-free installation:** Fits into existing holders - G13 (tubes) & B22, E27 (bulbs). **Easy styling:** Available in cool white and warm white.

1 2 & 3 All Tubes and Bulbs

| Input Voltage | Efficiency |
|----------------------|------------------|
| AC 110- 265V 50-60Hz | 85% |
| Colour Temperature | Colour Rendering |
| 2800 - 6500 K | 80 |

1 LED RF Motion Sensing Tube



| Sensor State | Power Consumption | Lumens of Light! |
|-----------------|-------------------|------------------|
| Motion Detected | 18W | 1500 |
| No Motion | 3W | 250 |
| Sensor Distance | Delay Time | Dimensions |
| 8 m | 18 seconds | 30mm x 1200 mm |

2 LED Retrofit Tube



| Power Consumption | Lumens of Light! | Dimensions |
|-------------------|------------------|---------------|
| 10W | 1000 | 30mm x 600mm |
| 20W | 2000 | 30mm x 1200mm |

3 LED Bulbs



| Power Consumption | Lumens of Light! |
|-------------------|------------------|
| 3W | 240 |
| 5W | 400 |
| 7W | 560 |
| 9W | 720 |

| Power Consumption | Lumens of Light! |
|-------------------|------------------|
| 3W | 300 |
| 5W | 500 |
| 7W | 700 |
| 9W | 900 |
| 12W | 1200 |

BUSINESS




Specifications



1. NEOMA DOWN LIGHT
2. AURA DOWN LIGHT
3. AMOR DOWN LIGHT

Pocket friendly: Easy savings of upto 80%. **Lasting LED life:** More than 50,000 hours. **Reliable:** Resistant to vibrations and voltage fluctuations. **Safety first:** No toxic mercury, no harmful UV rays. **Easy styling:** Available in cool white and warm white.

1 2 & 3



All Down Lights

| Input Voltage | Efficiency |
|----------------------|------------------|
| AC 110- 265V 50-60Hz | 85% |
| Colour Temperature | Colour Rendering |
| 2800 - 6500 K | 80 |

1 Neoma Down Lights

| Power Consumption | Lumens of Light! | Diameter x Height | Core Diameter |
|-------------------|------------------|-------------------|---------------|
| 9W | 720 | 132mm x 72mm | 110mm |
| 18W | 1440 | 188mm x 72mm | 165mm |

2 Aura Down Light

| Power Consumption | Lumens of Light! | Diameter x Height | Core Diameter |
|-------------------|------------------|-------------------|---------------|
| 5W | 400 | 90mm x 75mm | 70mm |
| 7W | 560 | 112mm x 81mm | 90mm |
| 9W | 720 | 112mm x 81mm | 90mm |
| 12W | 960 | 147mm x 83mm | 122mm |
| 15W | 1200 | 147mm x 83mm | 122mm |

3 Amor Down Lights

| Power Consumption | Lumens of Light! | Diameter x Height | Core Diameter |
|-------------------|------------------|-------------------|---------------|
| 7W | 560 | 112mm x 63mm | 89mm |
| 9W | 720 | 112mm x 63mm | 89mm |
| 12W | 960 | 145mm x 76mm | 100mm |
| 15W | 1200 | 145mm x 76mm | 100mm |

BUSINESS



Specifications



1. PANEL LIGHTS
2. SWIVEL SPOTLIGHTS
3. 2X2 PANEL TILE

Pocket friendly: Easy savings of upto 80%. **Lasting LED life:** More than 50,000 hours. **Reliable:** Resistant to vibrations and voltage fluctuations. **Safety first:** No toxic mercury, no harmful UV rays. **Easy styling:** Available in cool white and warm white.

1 2 & 3 All Panel & Spot Lights



| Input Voltage | Efficiency |
|----------------------|------------------|
| AC 110- 265V 50-60Hz | 85% |
| Colour Temperature | Colour Rendering |
| 2800 - 6500 K | 80 |

1 Panel Lights

| Power Consumption | Lumens of Light! | Diameter / Width | Core Diameter |
|-------------------|------------------|------------------|---------------|
| Square/Round 5W | 400 | 105mm / 105mm | 85mm |
| Square/Round 7W | 560 | 120mm / 120mm | 100mm |
| Square/Round 9W | 720 | 145mm / 145mm | 125mm |
| Square/Round 12W | 960 | 175mm / 175mm | 165mm |
| Square/Round 15W | 1200 | 200mm / 200mm | 180mm |

2 Swivel Spotlights

| Power Consumption | Lumens of Light! | Outer Dimension | Core Dimension |
|-------------------|------------------|-----------------|----------------|
| 3W | 270 | 89mm | 64mm |
| 4W | 360 | 89mm | 64mm |
| 7W | 630 | 114mm | 89mm |
| 9W | 810 | 114mm | 89mm |
| 12W | 1080 | 140mm | 102mm |
| 3W x 2 (Dual) | 270 x 2 | 173 x 93mm | 150 x 75mm |
| 4W x 2 (Dual) | 360 x 2 | 173 x 93mm | 150 x 75mm |
| 7W x 2 (Dual) | 630 x 2 | 220 x 113mm | 197 x 95mm |

3 2x2 Panel Tile

| Power Consumption | Lumens of Light! | Outer Dimension | Core Dimension |
|-------------------|------------------|-----------------|----------------|
| Square 36W | 2880 | 600 x 600mm | 595 x 595mm |
| Square 45W | 3600 | 600 x 600mm | 595 x 595mm |